

Atlas Orion Series Lens Specs

| | 32mm | 40mm | 50mm | 65mm | 80mm | 100mm |
|------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------------|--------------------------|
| T-Stop Range | T2-T16 | T2-T16 | T2-T16 | T2-T16 | T2-T16 | T2-T16 |
| Min Focus | 530 mm 21 in | 560 mm 24 in | 76 mm 30 in | 840 mm 33 in | 910 mm 36 in | 1000 mm 42 in |
| Weight | 4.7 lbs 2.1 kg | 5.2 lbs 2.4 kg | 5 lbs 2.3 kg | 5lbs 2.2 kg | 6lbs 2.7 kg | 6.7 lbs 3 kg |
| Length | 6.7 in 17 mm | 7.4 in 40 mm | 7 in 32 mm | 7.2 in 40 mm | 8.5 in 32 mm | 10 in 40 mm |
| Front Diameter | 114 mm | 114 mm | 114 mm | 114 mm | 114 mm | 114mm |
| Image Circle | 31 mm | 31 mm | 31 mm | 31 mm | 31 mm | 31 mm |
| Alexa Sensor Coverage | 4:3 ANA 23.76x17.89mm | 4:3 ANA 23.76x17.89mm | 4:3 ANA 23.7 x17.89mm | 4:3 ANA 23.76x17.89mm | 4:3 ANA 23.76x17.8mm | 4:3 ANA 23.76x17.89mm |
| Red Sensor Coverage | Monstro 7K 6:5 ANA | Monstro 8K 6:5 ANA | Monstro 8K 6:5 ANA | Monstro 8K 6:5 ANA | Monstro 8K 6:5 ANA | Monstro 8K 6:5 ANA |

Specifications are provided for the informational use of our clients and are taken from sources deemed to be reliable, but not guaranteed. Exact specifications may vary due to issues such as firmware or version. Please check with the team at Triode regarding any mission critical specifications before renting any equipment. <https://triode.tv/contact/> or call 717-455-3940.